HP LaserJet Enterprise MFP M528 series



Redefine long-term expectations

Choose an HP LaserJet Enterprise MFP designed to handle business solutions securely and efficiently, and helps conserve energy with HP EcoSmart toner black. Keep up with the demands of growing business with a printer you can rely on.¹





Highlights

- Low energy consumption
- World's most secure printing²
- · Robust mobility
- · Enhanced user interface
- · Enterprise manageability
- · Enhanced workflows
- Compact Small footprint
- · More competitive cartridges offerings
- · Competitive hardware specs





olor touchscreen

The world's most secure printing²

- Each printer in your fleet checks its operating code and repairs itself from attacks.
- Your printer's outgoing network connections are inspected to stop suspicious requests and thwart malware.
- Memory activity is monitored to continually detect and stop attacks.
- Firmware is automatically checked during startup to determine if it's authentic code digitally signed by HP.

Low costs, low energy use

- Avoid frustrating reprints, wasted supplies, and service calls using Original HP Toner cartridges.
- Spend less time replacing toner, and more on business. Choose optional high-yield toner cartridges.³
- Enhanced energy savings up to 29% over prior products¹ plus save with Auto-on/Auto-off technology.⁴
- This MFP fits in tight places to boost performance in almost any workspace.

A whole fleet at your control

- Centralise control of your printing environment with HP Web Jetadmin⁵ and help build business efficiency.
- Gain insights into print costs, behaviors, utilization to drive efficiencies with this cloudbased printer.
- Set security configuration policies and automatically validate settings for every HP printer in your fleet.⁶
- Submit print jobs on the go and securely release them at any HP Roam-enabled office printer, securely.⁷

Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages every time.
- Enter data more quickly and accurately using the pull-out keyboard.
- Help ensure every scanned document is properly oriented, cropped to size, and grayscaleoptimised.
- Load up to 100 pages into the automatic document feeder for fast, unattended scanning.⁸

Product walkaround

HP LaserJet Enterprise Flow MFP M528z shown

- 1. 100-sheet ADF with single-pass, two-sided scanning and HP EveryPage $\,$
- 2. 2nd generation Hardware Integration Pocket
- 3. Easy-access USB port
- 4. 250-sheet output bin
- 5. Top cover (access to Original HP JetIntelligence toner cartridge)
- 6. 100-sheet multipurpose tray 1 supports media sizes up to 216 x 356 mm
- 7. 550-sheet input tray 2 supports media sizes up to 216 x 356 mm
- 8. 20.3 cm pivoting colour touchscreen
- 9. Pull-out keyboard
- 10. Convenience stapler
- 11. Automatic two-sided printing
- 12. Dual-band Wi-Fi® with Bluetooth® Low Energy
- 13. Slot for cable-type security lock
- 14. Gigabit Ethernet
- 15. Hi-Speed USB 2.0 printing port
- 16. USB port for connecting external USB devices



Series at a glance







| Model | HP LaserJet Enterprise MFP M528dn | HP LaserJet Enterprise MFP M528f | HP LaserJet Enterprise Flow MFP M528z |
|---|--|----------------------------------|--|
| Product number | 1PV64A | 1PV65A | 1PV67A |
| Functions | Print, scan, copy (fax optional) | Print, sca | nn, copy, fax |
| Print speed (black) | Up to 43 ppm (default) ; Up to 50 ppm (HP High Speed) | | |
| Convenience stapler | Not available Yes | | Yes |
| Advanced workflow features | Not available Yes | | Yes |
| Automatic two-sided printing | | Yes | |
| 100 sheet multipurpose tray 1, 550 sheet input tray 2 | Yes | | |
| Optional 550 sheet paper tray | Add up to 3 | | |
| Optional printer cabinet | Add up to 1 | | |
| Input capacity (standard/max) | Up to 650/2,300 sheets | | |
| Recommended Monthly Page Volume | 2,000 to 7,500 pages | | |
| Cartridge yield | Black: 5,000 sheets (standard)/10,000 sheets (high-yield)/20,000 sheets (extra-high-yield) | | |
| HP High-Performance Secure Hard Disk | Not available | , | Yes |
| Wireless direct printing/NFC touch-to-print | Optional | | Built-in wireless direct printing; Optional NFC touch-to-print |
| Dual-band Wi-Fi® with Bluetooth® Low Energy | Optional Built-in | | Built-in |

Accessories, Supplies and Support

| Supplies | CF289A HP 89A Black Original LaserJet Toner Cartridge (5,000 pages) |
|---------------------|---|
| | CF289X HP 89X High Yield Black Original LaserJet Toner Cartridge (10,000 pages) |
| Accessories | E5K48A HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM |
| | F2A72A HP LaserJet 550-sheet Paper Tray |
| | F2A73A HP LaserJet Printer Cabinet |
| Service and Support | UB7B2E HP 3 years Next Business Day with Defective Media Retention for LaserJet M528 Service UB7B3E HP 4 years Next Business Day with Defective Media Retention for LaserJet M528 Service UB7B4E HP 5 years Next Business Day with Defective Media Retention for LaserJet M528 Service UB7C4PE HP 1 year Post Warranty Next Business Day with Defective Media Retention for LaserJet M528 Service UB7C5PE HP 2 years Post Warranty Next Business Day with Defective Media Retention for LaserJet M528 Service |

Technical specifications

| Model | HP LaserJet Enterprise MFP M528dn | HP LaserJet Enterprise MFP M528f | HP LaserJet Enterprise Flow MFP M528z | |
|---------------------------------|---|---|---|--|
| Product number | 1PV64A | 1PV65A | 1PV67A | |
| Functions | Print, copy, scan and optional fax Print, copy, scan, fax | | | |
| Control panel | 20.3 cm (8.0 in) colour LCD with touchscreen; Rotating (adjustable angle) display; illuminated Home button (for quick | | 20.3 cm (8.0 in) colour LCD with touchscreen; Rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu); Integrated keyboard | |
| Print | | | <u>. </u> | |
| Print technology | Laser | | | |
| Print speed ¹ | Black (A4, normal) Up to 43 ppm (default); Up to 50 ppm (HP High Speed); Black (A4, duplex): Up to 34 ipm; | | | |
| First page out ² | Black (A4, ready): As fast as 6 sec; Black (A4, sleep): As fast as 13 sec; | | | |
| Print resolution | Black (best): Up to 1200 x 1200 dpi; Technology: 300 dpi, 600 dpi, HP FastRes 1200, HP ProRes 1200; | | | |
| Monthly duty cycle | Up to 150,000 pages A4; Recommended monthly page vol | ume ³ : 2,000 to 7,500 | | |
| Printer smart software features | Print preview, duplex printing, print multiple pages per shee | et (2, 4, 6, 9, 16), collation, watermarks, store print jobs, eas | y-access USB | |
| Standard print languages | HP PCL 6, HP postscript level 3 emulation, native PDF printi | ing (v 1.7), Apple AirPrint™ | | |
| Fonts and typefaces | 105 internal TrueType fonts scalable in HP PCL; 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP Laser Jet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts | | | |
| Print area | Print margins Top: 4.3 mm, Bottom: 4.3 mm, Left: 4.3 mm, | Right: 4.3 mm; Maximum print area: 212 x 352 mm | | |
| Duplex printing | Automatic (standard) | | | |
| Сору | | | | |
| Copy speed ⁴ | Black (A4): Up to 43 cpm (default) ; Up to 50 cpm (HP High! | Speed) | | |
| Copier specifications | Two-sided copying; Scalability; Image adjustments (darkness, contrast, background cleanup, sharpness); N-up; N or Z-ordering; Content orientation; Collation; Booklet; Job build; Edge-to-edge job storage; ID copy; Book copy; A-to-B copy (different media sizes); Maximum number of copies: Up to 9999 copies; Reduce/Enlarge: 25 to 400%; | | | |
| Scan | | | | |
| Scan speed ⁵ | Normal (A4): Up to 43 ppm/43 ipm (black and white), up to and white), up to 38 ipm (colour) | 38 ppm/38 ipm (colour); Duplex (A4) : Up to 43 ipm (black | Normal (A4): Up to 45 ppm/64 ipm (black and white), up to 45 ppm/58 ipm (colour); Duplex (A4): Up to 64 ipm (black and white), up to 58 ipm (colour) | |
| Scan file format | PDF, JPEG, TIFF, MTIFF, XPS, PDF/A | | Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDFA (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), FTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht) | |

| Model | HP LaserJet Enterprise MFP M528dn | HP LaserJet Enterprise MFP M528f | HP LaserJet Enterprise Flow MFP M528z |
|---|---|---|---|
| Product number | 1PV64A | 1PV65A | 1PV67A |
| Scanner specifications | Scanner type: Flatbed, ADF; Scan technology: Contact Imag Device Memory, Open Extensibility Platform (OXP) applicati resolution: Up to 600 dpi | pe Sensor (CIS); Scan input modes : Front panel applications: (ons; Duplex ADF scanning : Yes, single pass duplex scanning; | Copy, E-mail, Save to Network Folder, Save to USB, Save to Scan size maximum (flatbed): 216 x 356 mm; Optical scan |
| Scanner advanced features | Optimise text/picture; Image adjustments; Job build; Outpu Auto detect colour; Edge erase; Job notification; Blank page | | Optimise text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpj; Auto detect colour; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR); Auto crop to page; Auto-tone |
| Recommended monthly scan volume | 4000 to 7000 | | 8000 to 14,000 |
| Scannable area | Maximum media size (flatbed): 216 x 356 mm; Minimum media size (ADF): 101.6 x 148 mm Maximum media size (ADF): 216 x 864 mm | | |
| Bit depth/ Grey scale levels | 24-bit / 256 | | |
| Digital sending | Standard: Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colour Sense; Auto Crop To Content; Compact PDF; Optional: Authentication; Digital fax (send to LAN, Internet); HP Digital Sending Software; Local Address Book; OCR; Send-to-folder; Send-to-printer; Send-to-workflow | Standard: Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colour Sense; Auto Crop To Content; Compact PDF; Optional: Authentication; Digita fax (send to LAN, Internet); HP Digital Sending Software; Local Address Book; OCR; Send-to-folder; Send-to-printer; Send-to-workflow | Standard: Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to LAN Fax; Send to Internet Fax; OCR; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colour Sense; Auto Crop To Content; Compact PDF; Auto Tonescale; Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Page; OCR; Optional: Authentication; Digital fax (send to LAN, Internet); HP Digital Sending Software; Local Address Book; OCR; Send-to-Folder; Send-to-Printer; Send-to-workflow |
| Fax | | | |
| Fax | Optional, | Yes, 33.6 kbps | |
| Fax specifications | | Fax memory: Up to 500 pages; Fax resolution: Standard: 203 x 98 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 203 392 or 300 x 300 dpi; Quick dialing: Up to 1000 numbers (each with 210 destinations) | |
| Fax smart software features | | Stored faxes; Fax archiving; Fax forwarding; Scale to fit; Fax address book; LAN/Internet fax; Fax number confirmation Holiday fax schedule | |
| Processor speed | 1.2 GHz | | |
| Connectivity | | | |
| Standard | 1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Hardware Integration Pocket | 2 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Hardware Integration Pocket; 1 fax | 1 Hi-Speed Device USB 2.0; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet; 1 Hardware Integration Pocket; 1 Fax; 1 Wi-Fi direct 802.11b/g/n; 1 Bluetooth low energy |
| Optional | HP Jetdirect 2900nw Print Server J8031A; HP Jetdirect 300 | 00w NFC/Wireless Accessory J8030A; HP Jetdirect 3100w BL | E/NFC/Wireless Accessory 3JN69A |
| Wireless | Optional, enabled with purchase of a wireless hardware accessory. Single band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3000w NFC/Wireless Accessory J8030A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 2900mw Print Server J8031A Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory 3JN69A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory JN69A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory JN69A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory JN69A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory JN69A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory JN69A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory JN69A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory JN69A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory JN69A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory JN69A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory JN69A, Dual band Wireless Station and Wi-Fi Direct functionality available with HP Jetdirect 3100w BLE/NFC/Wireless Accessory | | Yes, built-in Embedded Wi-Fi with Dual band Wireless Station and Wi-Fi Direct functionality and BLE. |
| Mobile printing capability ⁶ | Apple AirPrint™; Google Cloud Print™; HP ePrint; Mopria™ Certified; Roam capable for easy printing | | Apple AirPrint™; Google Cloud Print™; HP ePrint; Mopria™ Certified; Roam capable for easy printing; Wireless Direct Printing |
| Supported network protocols | Via built-in networking solution: TCP/IP; IPv4; IPv6; Print: TCP-IP port 9100 Direct Mode; LPD (raw queue support only); Web Services Printing; IPP 2.0; Apple AirPrint [™] ; HP ePrint; Google Cloud Print; Discovery; SLP; Bonjour; Web Services Discovery; IP Config: IPv4 (BootP; DHCP; AutolP; Manual; TFTP Config; ARP-Ping); IPv6 (Stateless Link-Local ar via Router; Stateful via DHCPv6); Management: SNMPv2/v3; HTTP/HTTPs; Telnet; TFTP Config; Syslog; Security: SNMPv3; SSL Cert Management; IPSec/Firewall; ACL; 802.1x | | |
| Network capabilities | Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 100Base-Tx, 202.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11a/b/g/n wireless networking (optional); Second Ethernet port (optional). | Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-Tx, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); Optional 802.11a/b/g/n wireless networking and second Ethernet port. | Yes, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-Tx, 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); Embed 802.11a/b/g/n wireless networking and second Ethernet port |
| Hard disk | | Standard, minimum 320 GB HP High-Performance Secure | Hard Disk (AES 256 hardware encryption or greater) |
| Memory | Standard: 1.25 GB (printer); 512 MB (Scanner); Maximum: 3 | 3.75 GB MAX memory, when Accessory DIMM is installed | |
| Media handling | | - | |
| Number of paper trays | Standard: 2 ; Maximum: 5 | | |
| Media types | Paper (bond, colour, plain, preprinted, prepunched, recycled, rough); Envelopes; Labels; Cardstock; Transparencies; User-defined | | |
| Media size | Custom (metric): Tray 1: 76.2 x 127 to 215.9 x 355.6 mm; Tray 2: 105 x 148 to 215.9 x 355.6 mm; Optional 550 sheet Tray: 105 x 148 to 215.9 x 355.6 mm; Supported (metric): Tray 1: A4, A5, A6, RA4, B5 (IIS), B6 (IJS), 10 x 15 cm, Oficio (216 x 340), 16K, postcards (IJS single and double), envelopes (B5, C5, C6, DL); Tray 2: A4, A5, A6, RA4, B5 (IJS), B6 (IJS) (IJS), Oficio (216 x 340), 16K, postcards (IJS double); Optional 550 sheet Tray: A4, A5, A6, RA4, B5 (IJS), B6 (IJS), Oficio (216 x 340), 16K, postcards (IJS double); Optional Automatic Duplexer: A4, RA4, Oficio (216 x 340); ADF: Oficio; Executive; Statement; 16K; A4; RA4; A5, A6; B5; B6 (IJS); Postcard (IJS); DPostcard (IJS) | | |

| Model | HP LaserJet Enterprise MFP M528dn | HP LaserJet Enterprise MFP M528f | HP LaserJet Enterprise Flow MFP M528z | |
|--|---|--|---|--|
| Product number | 1PV64A | 1PV65A | 1PV67A | |
| Media handling | Standard input: 100 sheet multipurpose Tray 1, 550 sheet input Tray 2, automatic duplex printing Standard output: 250 sheet output bin Optional input: 00tional input: 00tional 550 sheet tray (add up to 3 trays) ADF: Standard, 100 sheets Standard output: 250 sheet output bin, convenience stapler Optional input: 0ptional 550 sheet tray (add up to 3 trays) ADF: Standard, 100 sheets | | input Tray 2, automatic duplex printing r | |
| Media weight | Tray 1: 60 to 200 g/m²; Tray 2, 3: 60 to 120 g/m²; ADF : 45 to 200 g/m² | | | |
| Input capacity | Tray 1: Sheets: 100; Transparencies: 50; Envelopes: 10 Tray 2: Sheets: 550 Tray 3: Sheets: 550 Maximum: Up to 2,300 sheets ADF: Standard, 100 sheets | | | |
| Output capacity | Standard: Up to 250 sheets Envelopes: Up to 10 envelopes Transparencies: Up to 75 sheets Maximum: Up to 250 sheets | | | |
| Compatible operating systems | Windows Client OS (32/64-bit), Win10, Win8.1, Win 8 Basic, Win8 Pro, Win8 Enterprise, Win8 Enterprise N, Win7 Starter Edition SP1, UPD Win7 Ultimate, Mobile OS, iOS, Android, Mac, Apple® macOS High Sierra v10.12, Apple® macOS High Sierra v10.13, Apple® macOS High Sierra v10.14, Discrete PCL6 Printer Driver, for more information on the supported operating Systems of the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, for more information on the supported operating systems see http://www.hp.com/go/upd | | | |
| Compatible network operating systems | Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Failover Cluster 2008 R2, Failover Cluster 2012 R2, Terminal server 2008 R2, Remote Desktop server 2012 R2, Citrix Server 6.5, Citrix Sendp & XenDesktop 7.6, Novell iPrint server, Citrix Ready Kit Certification Up to Citrix Server 7.18 for more information see http://www.citrixready.citrix.com, Linux for more information see http://www.developers.hp.com/plinuximagingandprinting, Unix for more information see http://www.hp.com/go/unixmodelscripts, UPD PCL6 / PS Printer Drivers, Supported for Compatible Network Operating systems please see http://www.hp.com/go/upd | | | |
| Minimum system requirements | Windows : 2 GB available hard disk space, Internet connection Mac : 2 GB available hard disk space, Internet connection or | on, USB port, Internet browser. For additional OS hardware r USB port, OS hardware requirements see http://www.apple. | equirements see http://www.microsoft.com; com | |
| Software included | No software solutions are included in the Box, only on http: | //www.hp.com, http://www.123.hp.com | | |
| Security management | Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; Optional HP and 3rd party advanced authentication solutions (e.g.: badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key and Kerberos authentication; Supports WIA-10 IPsec configuration Plug-in; 80.2.1X authentication (EAP-PEAP; EAP-TLS); SNMPV3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; Hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs,); Connection Inspector - helps ensure network connections to device are safe; Security management: Compatible with HP JetAdvantage Security Manager; HP Printer Security Plugin for Microsoft SCCM; Device Security Syslog Messages processed and accessable in ArcSight, Splunk, and McAfee(ESM) SIEMs | | | |
| Printer management | HP Printer Assistant; HP Device Toolbox; HP Web JetAdmin Resource Kit for HP Universal Print Driver (Driver Configurat | Software; HP JetAdvantage Security Manager; HP SNMP Pro ion Utility - Driver Deployment Utility - Managed Printing Ad | xy Agent; HP WS Pro Proxy Agent; Printer Administrator ministrator) | |
| Dimensions and weight | | | | |
| Printer dimensions (W x D x H) | Minimum 482 x 496 x 497 mm; Maximum : 507 x 631 x 497 | 7 mm; | | |
| Package dimensions (W x D x H) | 735 x 592 x 613 mm | | | |
| Printer weight ⁷ | 21.41 kg | 21.95 kg | 22.13 kg | |
| Package weight | 28.6 kg | 29.2 kg | 29.3 kg | |
| Operating environment | Temperature: 10 to 32.5°C; Humidity: 30 to 70% RH | | | |
| Storage conditions | Temperature: -20 to 40°C; | | | |
| Acoustics | Acoustic power emissions: 6.8 B(A); Acoustic pressure emissions | sions: 54 dB(A) | | |
| | Requirements: Input voltage: 220V to 240V nominal (+/-10%), 50 - 60 Hz nominal (+/- 3 Hz), 4 A; Consumption: 629 watts (Printing), 28.8 watts (Ready), 5.3 | Active Angular Mark (Angular Mark) (| | |
| Power ⁸ | consumption: Des waits (Finding), 2.6. waits (Ready), 3.5 watts (Sleep), 0.74 waits (Auto-Off)Auto-On), LAN connection: 0.06 watts (Auto-Off), 0.06 watts (Off); Typical Electricity Consumption (TEC) ⁹ : Blue Angel: 1.414 kWh/Week; Energy Star 3.0: 0.446 kWh/Week; Power supply type: Built-in 115V or 220V Power Supply; | number with # Option code identifier.; Consumption: 629 watts (Printing), 28.8 watts (Ready), 5.3 connection: 0.06 watts (Auto-Off), 0.06 watts (Off); Typical Electricity Consumption (TEC) ⁹ : Blue Angel: 1.414 k | watts (Sleep), 0.74 watts (Auto-Off/Auto-On), LAN | |
| Power ⁸ Energy savings feature technology | watts (Sleep), 0.74 watts (Auto-Off/Auto-On), LAN connection: 0.06 watts (Auto-Off), 0.06 watts (Off); Typical Electricity Consumption (TEC) ⁹ . Blue Angel: 1.414 kWh/Week; Energy Star 3.0: 0.446 kWh/Week; | number with # Option code identifier; Consumption: 629 watts (Printing), 28.8 watts (Ready), 5.3 connection: 0.06 watts (Auto-Off), 0.06 watts (Off); Typical Electricity Consumption (TEC) ² : Blue Angel: 1.414 k Power supply type: Built-in 115V or 220V Power Supply; | watts (Sleep), 0.74 watts (Auto-Off/Auto-On), LAN | |
| Energy savings feature technology | watts (Sleep), 0.74 watts (Auto-Off)Auto-On), LAN connection: 0.06 watts (Auto-Off), 0.06 watts (Off); Typical Electricity Consumption (TEC) ³ : Blue Angel: 1.414 kWh/Week; Energy Star 3.0: 0.446 kWh/Week; Power supply type: Built-in 115V or 220V Power Supply; | number with # Option code identifier; Consumption: 629 watts (Printing), 28.8 watts (Ready), 5.3 connection: 0.06 watts (Auto-Off), 0.06 watts (Off); Typical Electricity Consumption (TEC) ² : Blue Angel: 1.414 k Power supply type: Built-in 115V or 220V Power Supply; | watts (Sleep), 0.74 watts (Auto-Off/Auto-On), LAN | |
| Energy savings feature technology Certifications 10 | watts (Sleep), 0.74 watts (Auto-Off)Auto-On), LAN connection: 0.06 watts (Auto-Off), 0.06 watts (Off); Typical Electricity Consumption (TEC) ⁹ : Blue Angel: 1.414 kWh/Week; Energy Star 3.0: 0.446 kWh/Week; Power supply type: Built-in 115V or 220V Power Supply; HP Auto-On/Auto-Off Technology; Instant-on Technology; Ir CISPR 22:2008 (International) - Class A, CISPR32:2012 (International) - Class A, EN 55032:2012 (EU) - Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010, EMC Directive 2014/30/EU, Issue 6 Class A, other EMC approvals as required by individual countries. ENERGY STAR® qualified; EPEAT® Silver, CECP; Blue Angel | number with # Option code identifier; Consumption: 629 watts (Printing), 28.8 watts (Ready), 5.3 connection: 0.06 watts (Auto-Off), 0.06 watts (Off); Typical Electricity Consumption (TEC) ² : Blue Angel: 1.414 k Power supply type: Built-in 115V or 220V Power Supply; Instant-on Copy CISPR 22:2008 (International) - Class A, CISPR32:2012 (International) - Class A, EN 55032:2012 (EU) - Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010, EMC Directive 2014/30/EU, Issue 6 Class A, other EMC approvals as required by individual countries. ENERGY STAR® qualified; EPEAT® Silver; CECP; Blue Angel DE-UZ-205 Telecom compliance: Telecom wired: ES 203 021-1 v2.1.1/ES 203 021-2 v2.1.2/ES 203 021-3 v2.1.2; Other Telecom approvals as required by individual countries. | ukatts (Sleep), 0.74 watts (Auto-Off/Auto-On), LAN Wh/Week; Energy Star 3.0: 0.446 kWh/Week; Wh/Week; Energy Star 3.0: 0.446 kWh/Week; Unternational) - Class A, EN 55032:2012 (EU) - Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010, EMC Directive 2014/30/EU, Issue 6 Class A, other EMC approvals as required by individual countries. EPEAT® Gold; ENERGY STAR® qualified; CECP; Blue Angel DE-UZ-205 Telecom compliance: Telecom Wireless: RSS 247 Issue 2, 2017 & RSS 102 Issue 5, 2015; EN 300 328 V2.1.1; EN 301 893 V2.1.1; Other Telecom approvals as required by individual countries. Telecom wired: ES 203 021-1 v2.1.1/ES 203 021-3 v2.1.2; Other | |
| Energy savings feature | watts (Sleep), 0.74 watts (Auto-Off)Auto-On), LAN connection: 0.06 watts (Auto-Off), 0.06 watts (Off); Typical Electricity Consumption (TEC) ⁹ : Blue Angel: 1.414 kWh/Week; Energy Star 3.0: 0.446 kWh/Week; Power Supply type: Built-in 115V or 220V Power Supply; HP Auto-On/Auto-Off Technology; Instant-on Technology; Ir CISPR 22:2008 (International) - Class A, CISPR32:2012 (International) - Class A, EN 55032:2012 (EU) - Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010, EMC Directive 2014/30/EU, Issue 6 Class A, other EMC approvals as required by individual countries. ENERGY STAR® qualified; EPEAT® Silver; CECP; Blue Angel DE-UZ-205 | number with # Option code identifier; Consumption: 629 watts (Printing), 28.8 watts (Ready), 5.3 connection: 0.06 watts (Auto-Off), 0.06 watts (Off); Typical Electricity Consumption (TEC) ² : Blue Angel: 1.414 k Power supply type: Built-in 115V or 220V Power Supply; Instant-on Copy CISPR 22:2008 (International) - Class A, CISPR32:2012 (International) - Class A, EN 55032:2012 (EU) - Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010, EMC Directive 2014/30/EU, Issue 6 Class A, other EMC approvals as required by individual countries. ENERGY STAR® qualified; EPEAT® Silver; CECP; Blue Angel DE-UZ-205 Telecom compliance: Telecom wired: ES 203 021-1 v2.1.1/ES 203 021-2 v2.1.2/ES 203 021-3 v2.1.2; Other Telecom approvals as required by individual countries. | cwatts (Sleep), 0.74 watts (Auto-Off/Auto-On), LAN Wh/Week; Energy Star 3.0: 0.446 kWh/Week; Wh/Week; Energy Star 3.0: 0.446 kWh/Week; Class A, Els Sto Star 2.0: 2.0: 2.0: 2.0: 2.0: 2.0: 2.0: 2.0: | |
| Energy savings feature technology Certifications 10 | watts (Sleep), 0.74 watts (Auto-Off)Auto-On), LAN connection: 0.06 watts (Auto-Off), 0.06 watts (Off); Typical Electricity Consumption (TEC) ⁹ : Blue Angel: 1.414 kWh/Week; Power Supply type: Built-in 115V or 220V Power Supply; HP Auto-On/Auto-Off Technology; Instant-on Tech | number with # Option code identifier; Consumption: 629 watts (Printing), 28.8 watts (Ready), 5.3 connection: 0.06 watts (Auto-Off), 0.06 watts (Off); Typical Electricity Consumption (TEC) ² : Blue Angel: 1.414 k Power supply type: Built-in 115V or 220V Power Supply; Instant-on Copy CISPR 22:2008 (International) - Class A, CISPR32:2012 (International) - Class A, EN 55032:2012 (EU) - Class A, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010, EMC Directive 2014/30/EU, Issue 6 Class A, other EMC approvals as required by individual countries. ENERGY STAR® qualified; EPEAT® Silver; CECP; Blue Angel DE-UZ-205 Telecom compliance: Telecom wired: ES 203 021-1 v2.1.1/ES 203 021-2 v2.1.2/ES 203 021-3 v2.1.2; Other Telecom approvals as required by individual countries. | cwatts (Sleep), 0.74 watts (Auto-Off/Auto-On), LAN Wh/Week; Energy Star 3.0: 0.446 kWh/Week; Wh/Week; Energy Star 3.0: 0.446 kWh/Week; Class A, EN S5032:2012 (EU) - Class A, EN S5032:2012 (EU) - Class A, EN S5032:2013, EN S5024:2010, EMC Directive 2014/30/EU, Issue 6 Class A, other EMC approvals as required by individual countries. EPEAT® Gold; ENERGY STAR® qualified; CECP; Blue Angel DE-UZ-205 Telecom compliance: Telecom Wireless: RSS 247 Issue 2, 2017 & RSS 102 Issue 5, 2015; EN 300 328 V2.1.1; EN 301 893 V2.1.1; Other Telecom approvals as required by individual countries. Telecom wired: ES 203 021-1 v2.1.1/ES 203 021-3 v2.1.2; Other | |

Footnotes

- 1 HP calculations based on Energy Star normalised TEC data comparing the HP LaserJet 500 series monochrome printers introduced in spring 2019 HP 89A/X/Y compared to HP 87A/X.
- ² Based on HP review of 2018 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims.
- ³ High Yield Black Original LaserJet Toner Cartridges not included, please purchase separately.
- ⁴ HP Auto-On/Auto-Off Technology capabilities are subject to printer and settings.
- ⁵ HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin.
- ⁶ HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit http://www.hp.com/go/securitymanager
- ⁷ To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit http://www.hp.com/qo/roam.
- ⁸ Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

Technical specifications disclaimers

- ¹ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ² Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- ³ HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
- ⁴ First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 29183, Duplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application and document complexity.
- 5 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- ⁶ To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit http://www.hp.com/go/roam.
- With print cartridges.
- ⁸ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.
- ⁹ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.
- 10 EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.
- 11 In box cartridge yields 7,500 black pages based on ISO/IWC 19752 and continuous printing. Actual pages may vary considerably based on images printed and other factors. For more information, visit: http://www.hp.com/go/learnaboutsupplies.



















http://www.hp.com/uk

© Copyright 2021 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

