

Philips Brilliance LED monitor with PowerSensor

B-line 21.5" (54.6 cm)



221B3LPCB

Innovative PowerSensor display saves energy bills

Eco-friendly, EPEAT Gold certified Philips Business Line 221B3 LED display with intelligent PowerSensor detects user presence and adjusts power consumption saving up to 80% of energy bills!

Sustainable Eco-friendly solution

- PowerSensor:Ensures lower operating costs by saving energy
- EPEAT Gold ensures lowest impact on environment
- Mercury Free eco-friendly display
- ZeroWatt switch 100% power saving
- 0.1 watt Soft-Off mode

Ergonomic design

• 70mm height adjustment for ideal sitting position

Outstanding display performance

- LED technology ensures natural colors
- · SmartImage: Optimized user friendly display experience


Great convenience

- Stylish SmartTouch controls
- · Built-in speakers for audio without desktop clutter
- USB Hub with 2 ports for easy connections



Highlights

PowerSensor



PowerSensor is a built-in 'people sensor' that transmits and receives harmless infrared signals to determine if user is present and automatically reduces monitor brightness when user steps away from the desk, cutting energy costs by up to 80 percent and prolonging monitor life.

LED technology

White LED's are solid state devices which light up to full, consistent brightness faster saving startup time. LED's are free from mercury content which allows for eco-friendly recycling and disposal process. LED's allow for better dimming control of LCD backlight, resulting in super high contrast ratio. It also gives superior color reproduction thanks to consistent brightness across the screen.

Mercury Free

Philips monitors with LED backlighting are free of Mercury content, one of the most toxic natural substances which affects humans and animals. This allows for a eco-friendly display through out its life-cycle from manufacturing to disposal.

Zero Switch

In line with Philips' commitment to "Sense and Simplicity" we enable you to make a responsible choice to switch OFF your monitor at any given time. At the touch of a single ON/OFF button which is conveniently located at the back of the monitor, the monitors' energy consumption is reduced to Zero. In the OFF mode, the monitor is completely cut off from AC power and thereby reducing your carbon footprint even further.

EPEAT Gold

Philips EPEAT GOLD certified monitors ensure protection for human health and environment, and are highly energy efficient ensuring low emissions of climate changing green house gases. EPEAT program helps purchasers evaluate, compare and select Monitors based on 51 environmental criteria supported by US EPA. GOLD certification ensures that at least 30% of plastic used is Post Consumer Resin, which ensures reduction in use of toxic and hazardous materials. EPEAT Gold is valid only where Philips registers the product. Please visit www.epeat.net for registration status in your country.

SmartImage



SmartImage is an exclusive leading edge Philips technology that analyzes the content displayed on your screen and gives you optimized display performance. This user friendly interface allows you to select various modes like Office, Image, Entertainment, Economy etc., to fit the application in use. Based on the selection, SmartImage dynamically optimizes the contrast, color saturation and sharpness of images and videos for ultimate display performance. The Economy mode option offers you major power savings. All in real time with the press of a single button!

2 Ports USB 2.0 HUB


USB Hub allows user to conveniently connect their plug and play multimedia devices such as USB memory devices, camera, portable HDD, Web camera, PDA, Printer and many other devices which has USB connection available. The conveniently located USB 2.0 Hub on the monitor allows USB 2.0 signals to pass thru to the computer. Note that many devices like cameras and HDD may need to be powered On independently, as they have higher power requirements than the monitor USB Hub can provide.

SmartTouch controls

SmartTouch controls are intelligent, touch sensitive icons that replace protruding buttons. Responding to your lightest touch, SmartTouch controls, for example, power up your monitor or brighten and sharpen your display with SmartImage Lite. When activated, SmartTouch icons glow to indicate that your commands have been implemented.

70mm height adjustment

The Super Ergo Base is a 'people friendly' Philips monitor base that not only tilts and swivels, but is also height adjustable and pivots to 90 degree, so that each user can adjust the monitor to their personal preference for maximum viewing comfort and efficiency.



221B3LPCB/27

Specifications

Picture/Display

- LCD panel type: TFT-LCD
- Backlight type: W-LED system
- Panel Size: 21.5 inch / 54.6 cm
- Effective viewing area: 476.6 (H) x 268.1 (V)
- Aspect ratio: 16:9
- Optimum resolution: 1920 x 1080 @ 60Hz
 Response time (typical): 5 ms
- Brightness: 250 cd/m²
- Brightness: 250 cd/m²
- Contrast ratio (typical): 1000:1
 SmartContrast: 20,000,000:1
- Pixel pitch: 0.248 x 0.248 mm
- Pixel pitch: 0.248 x 0.248 mm
 Viewing angle: 176° (H) / 170° (V), @ C/R > 5
- Picture enhancement: SmartImage
- Display colors: 16.7 M
- Scanning Frequency: 30 83 kHz (H) / 56 75 Hz (V)
- sRGB

Connectivity

- Signal Input: VGA (Analog), DVI-D (digital, HDCP)
- USB: USB 2.0 x 2
- Sync Input: Separate Sync, Sync on Green
- Audio In/Out: Earphone out (3.5 mm jack)x 1, PC audio-in

Convenience

- Built-in Speaker: 1.5W x 2
- User convenience: SmartImage, Volume, Power On/ Off, PowerSensor, Menu
- OSD Languages: English, French, German, Italian, Portuguese, Russian, Simplified Chinese, Spanish
- Other convenience: VESA mount (100x100mm), Kensington lock
- Plug & Play Compatibility: DDC/CI, Mac OS X, sRGB, Windows 7/Vista/XP

Stand

- Height adjustment: up to 70 mm
- Swivel: -65/65 degree
- Tilt: -5/20 degree

Power

- ECO mode: 11.8 W (typ.)
- On mode: 17.8 W (EnergyStar 5.0 test method)

- Standby mode: 0.1 W
- Off mode: 0 W (AC switch)
- Power LED indicator: Operation White, Standby mode- White (blinking)
- Power supply: 100-240VAC, 50/60Hz, Built-in

Dimensions

- Product with stand (mm): 507 x 400 x 220 mm
- Product with stand in inch: $19.96 \times 15.75 \times 8.66$ inch
- Product without stand (mm): 507 x 323 x 59 mm
- Product without stand in inch: 19.96 x 12.72 x 2.32 inch
- Packaging in mm (WxHxD): 565 x 466 x 175 mm
- Packaging in inch (WxHxD): 22.24 x 18.35 x 6.89 inch

Weight

- Product with stand (kg): 4.83 kg
- Product with stand (lb): 10.63 lb
- Product without stand (kg): 3.46 kg
- Product without stand (lb): 7.61 lb
- Product with packaging (kg): 6.67 kg
- Product with packaging (lb): 14.67 lb

Operating conditions

- Temperature range (operation): 0°C to 40°C °C
- Temperature Range (storage): -20°C to 60°C °C
- Relative humidity: 20%-80 %
- MTBF: 30,000 hour(s)

Sustainability

- Environmental and energy: EnergyStar 5.0, EPEAT Gold, RoHS
- Recyclable packaging material: 100 %

Compliance and standards

 Regulatory Approvals: BSMI, CE Mark, FCC Class B, GOST, SEMKO, TCO 5.1, TUV/GS, TUV Ergo, UL/ cUL

Cabinet

- Color: Black
- Finish: Texture



Issue date 2011-05-09

© 2011 Koninklijke Philips Electronics N.V. All Rights reserved.

www.philips.com

Version: 2.0.1

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

12 NC: 8670 000 70293 UPC: 6 09585 20146 0