

## Mini O Plus Indoor Wi-Fi Smart Camera

### Simple yet Extremely Powerful

A Full HD 1080p Wi-Fi camera with a magnetic base, designed for simple and quick installation.

### **Key Features**



1080p



Supports 2.4GHz Wi-Fi (IEEE802.11b, 802.11g, 802.11n)



True Day/Night camera with auto-switching. Infrared night vision up to 7.5 metres.



Supports MicroSD card slot, up to 128GB



Two-way audio













### **Easy Installation**

The Mini O Plus comes with a magnetic base and mounting kit for easy placement on walls or ceilings.

Once set up, you can manually adjust it to cover just about any angle you need.

# Full HD 1080p video with an ultra-wide-angle lens

The Mini O Plus delivers Full HD 1080p video, and with a 135° ultra-wide-angle lens, it covers a wider range of space, so you can keep an eye on what's valuable to you.





### Keep Them Safe, Day and Night

When it's dark, the C2C (Mini O Plus) automatically switches to night vision mode for around-the-clock Full HD video coverage. The lens is ringed with infrared lights for night vision up to 7.5 meters.

### Instant alerts (manual activation required)

The C2C (Mini O Plus) watches for movement. It will take a picture and send alerts to your smartphone when it detects motions.

### Two-way audio

The camera comes with a built-in microphone and speaker, enabling two-way audio via the camera and your phone or tablet.





## Specifications Model CS-CV206-BO-32WFR

#### Camera

#### Network

Image Sensor	1/2.7''2MP HD Progressive Scan CMOS	Storage
Shutter Speed	Self-adaptive shutter	Smart Alarm
Lens	2.8mm@F2.0, view angle: 115° (Horizontal),	Wi-Fi Pairing
	135° (Diagonal)	Protocol
Lens Mount	M12	Interface Protocol
Day & Night	IR-cut filter with auto-switching	General Features
DNR	3D DNR	
WDR	Digital WDR	Minimum Network Requirements

#### Compression

(			1	Standard
	Video Compression	H.264		Frequency Range
	Н.264 Туре	Main Profile		Channel Bandwid
	Video Bit Rate	HD, Balanced and Smooth bit rate.		Security

#### Image

Max. Resolution	1920×1080	Power Supply	DC 5V±10%
		Power Consumption	MAX. 3W
	Brightness, contrast, saturation, etc. (configurable via EZVIZ Studio)	IR Range	MAX. 7.5 meters
	(configurable via EZ VIZ Studio)	Product Dimensions	128mm x 58mm x 38mm
BLC Support	Support	Packaging Dimensions	149mm x 87.5mm x 91.5mm
	Weight	0.265 lb. (120g)	

### Wi-Fi

Standard

ge

vidth

Transmission Rate

#### General

Supports MicroSD card (max. 128GB)
Motion detection
SmartConfig (Wi-Fi One-Key Configuration)/AP paring
EZVIZ Cloud proprietary protocol
EZVIZ Cloud proprietary protocol
Anti-Flicker, Dual-Stream, Heartbeat Messages, Mirror Image, Password Protection, Watermark
2M

	IEEE802.11b, 802.11g, 802.11n
	2.4 GHz ~ 2.4835 GHz
ו	Supports 20/40MHz
	64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK
	11b: 11Mbps, 11g: 54Mbps, 11n: 150Mbpss

### Package Contents:

- Mini O Plus X 1
- 3 Metres USB Cable X 1
- Power Adapter X 1
- Foam Sticker X 2
- Metal Plate (3.5mm Hole Diameter) X 1
- Quick Start Guide X 1

### Requirements

- Operating Conditions: -10°C ~ 50°C, Humidity 95% or less (non-condensing)

### Certificates

FCC/UL/IC/NOM/CE/RoHS/WEEE/REACH

Specifications are subject to change without notice. EZVIZ is a registered trademark of Hangzhou EZVIZ Network Co., Ltd. Other brands and product names are trademarks or registered trademarks of their respective holders.

https://www.ezvizlife.com/uk