

16ft (5m) Active Micro HDMI to HDMI Cable with Ethernet - 4K 30Hz Video - High Speed Micro HDMI Type-D to HDMI 1.4 Adapter Cable/Converter Cord - UHD HDMI Monitors/TVs/Displays

**Product ID: HDADMM5MA** 



The HDADMM5MA Active HDMI to Micro HDMI cable features a built-in active signal booster that provides a connection distance of up to 15 feet (5m) between your HDMI Micro-equipped smartphone, tablet or other portable device and an HDMI-capable TV or display, with no signal loss.

This durable, lightweight cable features thinner HDMI wire construction - approximately half the thickness of a regular 5m cable, which allows for a more flexible installation with minimal clutter. Plus, the cable features built-in amplifier circuitry which actively boosts the HDMI signal with no external power required.

The active booster circuit and thin wire construction design of this cable makes it perfect for any mobile user, from people on the move with hectic schedules to anyone wanting to connect from the comfort of their couch. The cable is portable enough that it fits nicely inside your laptop bag, ensuring you always have the right cable to connect your mobile device to an HDMI display, and is slim enough that it provides a convenient connection to your TV without the hassle of bulky cables getting in your way – and all without the need of an external power source.

This 5 meter Active HDMI cable is backed by StarTech.com's 2-year Warranty.

Please Note: This cable features unidirectional architecture which requires that is installed in a specific direction. Please refer to the "Display" label on the HDMI connector which plugs into your display, in order to ensure that the device and the Micro HDMI source are connected properly.

## Certifications, Reports and Compatibility

## **Applications**

• Connect your HDMI Micro-equipped mobile device (Smartphone, Tablet, etc.) to an HDMI TV or display, up to 5m away, with no signal loss



## **Features**

- SLIM MICRO HDMI TO HDMI CABLE: Active 16.4ft (5m) Micro HDMI 1.4b Cable with Ethernet supports 4K video (3840x2160p, 30Hz 4096x2160p, 24Hz), Full HD (1920x1080p, 120Hz), wide aspect ratio, 8Ch Audio (5.1/7.1/DD+/Dolby TrueHD), 3D Video
- ACTIVE CIRCUITRY: Active bus powered amplifier boosts video signals over longer distances up to 16.4 ft (5 m) (no external power supply needed), supports additional color spaces such as Adobe RGB and YCC601 Color; Cord is ideal for Commercial environments
- FLEXIBLE AND DURABLE: Ultra HD slim (0.14"/3.6mm OD) Micro HDMI to HDMI converter cable w/ durable jacket & flexible strain relief prevents fraying; 36AWG wire with gold-plated connectors, and Al-Mylar foil/copper braid improve signal integrity & reliability
- APPLICATIONS: This adapter cable connects Micro HDMI (Type-D) devices: GoPro Hero/Raspberry Pi 4/cameras (DSLR/Video)/Nikon/Canon EOS to your HDMI (Type-A monitor/display/projector; Ideal for viewing on larger screens; Samsung/Sony/Apple TV/Asus ZenBook
- SPECS: 19.7 ft (5 m) Black HDMI 1.4b HDMI Male (Type-D/Micro) to HDMI Male (Type-A/Standard) Jacket: PVC Shield: Al-Mylar foil with Braid HDCP 1.4, CEC 2-Year Warranty Note: HDMI connector labelled "Display" connects to the display side

Warranty 2 Years  Number of Conductors 19  Connector Plating Gold  Cable Jacket Material PVC - Polyvinyl Chloride  Cable Shield Material Aluminum-Mylar Foil with Braid  Performance  Maximum Digital Resolutions  4K x 2K @ 30 Hz  Connector(s)  Connector A HDMI (19 pin)  Connector B Micro HDMI (19 pin)			
Number of Conductors 19  Connector Plating Gold  Cable Jacket Material PVC - Polyvinyl Chloride  Cable Shield Material Aluminum-Mylar Foil with Braid  Performance  Maximum Digital Resolutions  4K x 2K @ 30 Hz  Connector(s)  Connector A HDMI (19 pin)  Connector B Micro HDMI (19 pin)  Physical Characteristics  Color Black	Hardware		
Connector Plating Gold  Cable Jacket Material PVC - Polyvinyl Chloride  Cable Shield Material Aluminum-Mylar Foil with Braid  Performance  Maximum Digital Resolutions  4K x 2K @ 30 Hz  Connector(s)  Connector A HDMI (19 pin)  Connector B Micro HDMI (19 pin)  Physical Characteristics  Color Black		Warranty	2 Years
Cable Jacket Material PVC - Polyvinyl Chloride Cable Shield Material Aluminum-Mylar Foil with Braid  Performance  Maximum Digital Resolutions  Connector(s)  Connector A HDMI (19 pin)  Connector B Micro HDMI (19 pin)  Physical Characteristics  Color Black		Number of Conductors	19
Cable Shield Material Aluminum-Mylar Foil with Braid  Performance  Maximum Digital Resolutions  Connector(s)  Connector A HDMI (19 pin)  Connector B Micro HDMI (19 pin)  Physical Characteristics  Color Black		Connector Plating	Gold
Performance  Maximum Digital AK x 2K @ 30 Hz Resolutions  Connector(s)  Connector A HDMI (19 pin)  Connector B Micro HDMI (19 pin)  Physical Characteristics  Color Black		Cable Jacket Material	PVC - Polyvinyl Chloride
Maximum Digital Resolutions  Connector(s)  Connector A HDMI (19 pin)  Connector B Micro HDMI (19 pin)  Physical Characteristics  Color Black		Cable Shield Material	Aluminum-Mylar Foil with Braid
Connector(s)  Connector A HDMI (19 pin)  Connector B Micro HDMI (19 pin)  Physical Characteristics  Color Black	Performance		
Connector A HDMI (19 pin)  Connector B Micro HDMI (19 pin)  Physical Characteristics  Color Black			4K x 2K @ 30 Hz
Connector B Micro HDMI (19 pin)  Physical Characteristics  Color Black	Connector(s)		
Physical Characteristics Color Black		Connector A	HDMI (19 pin)
Characteristics  Color Black		Connector B	Micro HDMI (19 pin)
	Physical Characteristics		
Connector Style Straight		Color	Black
		Connector Style	Straight



	Wire Gauge	36 AWG
	Cable Length	16.4 ft [5 m]
	Cable OD	0.1 in [3.6 mm]
	Product Length	16.4 ft [5.0 m]
	Product Width	7.6 in [19.3 cm]
	Product Height	3.4 in [86.0 mm]
	Weight of Product	3.6 oz [103.0 g]
Packaging Information		
	Package Quantity	1
	Package Length	15.6 in [39.5 cm]
	Package Width	5.5 in [14.0 cm]
	Package Height	0.7 in [17.0 mm]
	Shipping (Package) Weight	3.7 oz [106.0 g]
What's in the Box	Included in Package	5m Active Slim High Speed HDMI to Micro HDMI Cable
		<u> </u>

<sup>\*</sup>Product appearance and specifications are subject to change without notice.