

# Samsung SMART Hospitality Displays

## - HD790, HD690 and HD590

The unrivalled premium SMART hospitality display for premier hospitality environments



### Create an enhanced in-room entertainment experience

Premium hotels want to provide the superior quality in-room experience that sophisticated travelers expect, with chic TVs that offer a range of features and content options. In addition to ready access to various personal, digital and On Demand content, today's guests want an interface that is simple to use. Research shows that guests typically carry more than two mobile or smart devices, which signifies that guests are also bringing their own entertainment options to the hotel. This is why properties need new strategies to embrace and support this smart mobile trend.

Samsung SMART Hospitality Displays are integrated, high-performing TVs that include many desirable features and an interface designed for ease of use. The displays create a stylish room ambiance and provide a superior viewing experience in a streamlined design. They deliver myriad entertainment options for guests through smart connectivity features. To enhance the hotel's brand, staff members can customize welcome menus with a straightforward interface. Additionally, hotels can stay on budget with affordable content-streaming options and other cost-saving features.

### Upgrade premium hotel suites with chic, slim displays

Samsung SMART Hospitality Displays are designed especially for 4-star, high-end hotels with an ultra-slim and slim profile that creates an elevated level of sophistication. The displays feature Samsung's advanced LED technology that yields an extremely thin form. Especially, HD790 Series features ultra-slim profile with edge LED technology. The sleek profile enables the displays to fit into tight hotel rooms, saving space for in-room devices, easily embed into walls or furniture and further elevate the in-room decor. The displays also feature a narrow bezel. Without a cumbersome frame, the TVs virtually blend into the background, allowing guests to focus on the images projected rather than the equipment delivering them.



Figure 1. Samsung SMART hospitality displays upscale hotel suite atmosphere

# Deliver interactivity and rich content to guests with easily managed and customizable solutions

## Combine rich content, interactivity and manageability

Leverage a bi-directional and interactive solution for IP hotel infrastructures: LYNK™ SINC

LYNK™ SINC provides hotel guests with a luxurious and entertaining stay built around patrons' schedules or purpose of visit, while ensuring interactivity through an IP-based solution. The solution offers a new grid-type template for delivery of richer content to guests. In addition, LYNK SINC serves all provided content through coaxial cables and IP networks, along with two-way interaction through the solution's linkage to a PMS server. Easily customizable by hotel managers, the solution delivers centralized management of hundreds of hotel displays with controls ranging from TV status monitoring and controlling to guest grouping for differentiated content delivery.

LYNK SINC's new function, IPTV Standalone Solution, is available without SINC content through a free license. Through this function, hotel personnel can control content by editing the IPTV channel list and cloning the channel list to a USB device and copying it to individual TVs. This way, managers can efficiently offer guests IP TV without having to purchase any additional solution.



Figure 2. LYNK SINC offers interactive solution for IP hotel infrastructure

The guest experience is enhanced with access to services and information, such as local event and tourist information, and available discounts. Useful hotel information such as room service or spa menus can be accessed through customizable widgets, as well as free, automatically updated weather information so guests can plan outdoor activities. LYNK SINC enables hotels to provide up-to-date flight information so guests can coordinate checkout times with flight departures and supports personalized, real-time guest messaging. All of these professional capabilities are provided simply over an IP network without the need for STBs, minimizing maintenance complexity and eliminating the cumbersome presence of STBs in the property's hotel rooms.

## Easily manage centrally and remotely with LYNK™ REACH, a flexible and low-cost coaxial infrastructure Hospitality TV solution

Designed exclusively for hospitality businesses to help them manage content and control displays over current RF cables, LYNK™ REACH delivers remote, central and cost-efficient management of in-room displays. LYNK REACH is specialized software provided with LYNK REACH Server for hospitality environments. The software solution provides a simplified UI and editing tool that organizes and displays content, such as hotel information, images and logos, using existing infrastructures. LYNK REACH offers hoteliers advanced advertising functionalities and Channel Bank Management for Pay TV Services. In addition, LYNK REACH improves usability by enabling hotel managers to monitor room status, recent deployment and activity and with a simple, easy and intuitive user interface (UI) through Project Creator.



Figure 3. LYNK REACH offers a flexible and low-cost coaxial infrastructure Hospitality TV solution

# Increase guests' comfort with simplified audio playing through the TV

## Offer the ultimate guest experience with a customizable IP-based hospitality display management solution

As branded hospitality chains delegate hotel entertainment infrastructure maintenance to partners, they need a powerful solution to support the easy development, straightforward deployment and simplified maintenance of partners' solutions. H.Browser delivers the superior in-room entertainment and customized content management services that today's hotel guests expect, along with interactive web services, without need for hotels to purchase, install and maintain additional hardware such as VoD set-top boxes (STBs). As an IP-based open platform, H. Browser enables Systems Integrators (SIs) to provide fully customizable web browser solutions that deliver premium interactive services and features for both free and VoD content. Because H.Browser is based on Internet programming languages such as HTML5 and Java Script®, SIs can easily develop and quickly deploy robust, customized hotel solutions.



Figure 4. H.Browser offers a customizable IP-based Hospitality TV management solution

Hospitality Partners :



## Integrate guests' smart devices into in-room entertainment (HD690)

Bluetooth Music Player, which is included in HD690, provides a cozy, home-like atmosphere by enabling guests to listen to their mobile device audio through an easy connection. The Bluetooth Music Player feature eliminates the need for hotels to purchase additional costly audio docking stations that can easily be broken or stolen.



Figure 5. Bluetooth Music Player (Mobile to TV)

## Offer flexible entertainment through convenient wireless connectivity

Samsung SMART hospitality displays transform the guest experience by providing an in-room, multi-device entertainment hub with myriad viewing, sharing and connectivity features.

### Smart View

Smart View is an easy TV-mobile interaction feature that enables guests to watch TV channels on a broad range of mobile devices. Smart View TV-to-mobile interaction includes Live Channel Mirroring for all channels using a Samsung GALAXY® device and free-to-air channels (only) using an iPhone®. Mobile-to-TV interaction pushes content such as photos, videos and music files through an intuitive interface available on the mobile device to the TV for easy selection and viewing. Mobile-to-TV interaction is not restrictive of the mobile device platform used. Guests can enjoy their mobile content on the larger in-room TV.

# Increase guests' comfort with simplified audio playing through the TV

## Screen Mirroring

Screen Mirroring enables guests to share the screen of a mobile device on the TV. This sharing capability includes the screen configuration in addition to content. This means that the TV displays exactly what displays on the mobile device, with no content restrictions.

## Digital Living Network Alliance® (DLNA)

Digital Living Network Alliance (DLNA) technology enables guests to play personal content through a wireless connection on their room TVs. Content includes movies, photos and music.

## Soft AP

Soft AP provides a software access point (AP) or hotspot. Up to four devices can connect wirelessly to the AP. Hotel managers can change the signal level and channel of the Soft AP to suit the connectivity environment of different rooms.



Figure 6. Wireless connectivity enables wide variety of content sharing

## Deliver quicker and higher TV performance with Quad Core and Instant On

With a Quad Core processor, guests can experience smoother navigation and faster access to smart features for enhanced TV viewing and operation. With Instant On, the TV boots in only 2 seconds to reduce waiting time.



Figure 7. Quad Core processor enables smoother and faster TV performance

## Enhance content protection with a pure software DRM solution

Samsung LYNK DRM technology provides hoteliers with a protected and cost-effective alternative to traditional hardware-based content protection systems. The solution allows encrypted content to pass safely and to display on hotel TVs.

A software-only implementation, LYNK DRM technology reduces the need for additional equipment and provides quicker recovery for Conditional Access System (CAS) problems. To help ensure reliability of the system, coverage extends to the enlargement of head-end equipment for cable operators.



# Safeguard content with a software-based, reliable and economical DRM solution

## Optimize device and resource management to minimize TCO

Samsung SMART Hospitality Displays provide centralized management from a control room. The displays' convenient and efficient management features reduce staff maintenance visits. Because the displays are connected to the hotel's network infrastructure, management can monitor each in-room TV and instantaneously deploy content grouping policies and EPG from a control room. The simplified configuration with only the display delivers the convenience of a set-top box (STB) configuration without the complexity, cost or hassle.

## Feature and Benefit

Model	Feature and Benefit
<b>HD790</b>	<ul style="list-style-type: none"> <li>- Ultra-slim design for enhancing the premium hotel environment</li> <li>- Full-HD resolution for more enjoyable viewing</li> <li>- Management solutions (REACH, SINC, H.Browser) for efficient and simplified management</li> </ul>
<b>HD690</b>	<ul style="list-style-type: none"> <li>- Slim design for an enhanced guest room appearance</li> <li>- Full-HD resolution for a better entertainment experience</li> <li>- Bluetooth Music Player for simplified and convenient personal media enjoyment</li> <li>- Management solutions (REACH, SINC, H.Browser) for straightforward and efficient control</li> </ul>
<b>HD590</b>	<ul style="list-style-type: none"> <li>- Full-HD resolution for enhanced TV viewing</li> <li>- Management solutions (REACH, SINC, H.Browser) for economic and simplified content and display management</li> </ul>

# Samsung HD790 Series Hospitality Displays

## HD790



- Ultra-slim design for enhancing the premium hotel environment
- Full-HD resolution for more enjoyable viewing
- Management solutions (REACH, SINC, H.Browser) for efficient and simplified management


Basic Feature				Hospitality Solution				Convenience Feature		Security		Clock Option	
Screen Size	Resolution	Design	Processor	Home Menu	Lynk™ Reach	Lynk™ SINC	H.Browser	Bluetooth Player	Embedded Wi-Fi	Software DRM	Security Mode	External Clock Compatibility	Software Clock
40"	FHD	Ultra Slim	Quad Core	New Home Menu	○	○	○		○	○			○

### 40"



- HG40ED790QB

### Connectors



- |                         |                                       |
|-------------------------|---------------------------------------|
| 1. RJP(Remote Jackpack) | 10. HEADPHONE                         |
| 2. VARIABLE AUDIO OUT   | 11. HEADPHONE-ID                      |
| 3. VOLUME CONTROL       | 12. ANTENNA IN (SATELLITE, AIR/CABLE) |
| 4. USB                  | 13. PC IN                             |
| 5. USB / CLONING        | 14. ETHERNET (LAN)                    |
| 6. HDMI IN 1            | 15. DATA                              |
| 7. HDMI 2               |                                       |
| 8. PC/DVI AUDIO IN      |                                       |
| 9. AV IN 2              |                                       |

# Samsung HD690 Series Hospitality Displays

## HD690



- Slim design for an enhanced guest room appearance
- Full-HD resolution for a better entertainment experience
- Bluetooth Music Player for simplified and convenient personal media enjoyment
- Management solutions (REACH, SINC, H.Browser) for straightforward and efficient control


Basic Feature				Hospitality Solution				Convenience Feature		Security		Clock Option	
Screen Size	Resolution	Design	Processor	Home Menu	Lynk™ Reach	Lynk™ SINC	H.Browser	Bluetooth Player	Embedded Wi-Fi	Software DRM	Security Mode	External Clock Compatibility	Software Clock
24", 28"	HD	Slim	Quad Core	New Home Menu	○	○	○	○	○	○		○	○
32", 40", 48", 55"	FHD			Home Menu									

### 24"



- HG24ED690AB

### Connectors



1. ETHERNET (LAN)
2. USB / CLONING
3. COMMON INTERFACE
4. DIGITAL AUDIO OUT (OPTICAL)
5. HDMI IN 1
6. HDMI IN 2
7. HEADPHONE
8. HEADPHONE-ID
9. ANTENNA IN (SATELLITE, AIR/CABLE)
10. DATA
11. RJP(Remote Jackpack)
12. PC/DVI AUDIO IN
13. PC IN


# Samsung HD690 Series Hospitality Displays

## 28"



- HG28ED690AB

### Connectors




- |                                      |                                 |
|--------------------------------------|---------------------------------|
| 1. AV IN                             | 12. DIGITAL AUDIO OUT (OPTICAL) |
| 2. USB                               | 13. PC IN                       |
| 3. USB/CLONING                       | 14. PC/DVI AUDIO IN             |
| 4. HDMI IN 1                         | 15. DATA                        |
| 5. ETHERNET (LAN)                    | 16. CLOCK                       |
| 6. ANTENNA IN (SATELLITE, AIR/CABLE) | 17. VARIABLE AUDIO OUT          |
| 7. HDMI IN 3                         | 18. VOLUME CONTROL              |
| 8. HDMI IN 2                         |                                 |
| 9. HEADPHONE                         |                                 |
| 10. HEADPHONE-ID                     |                                 |
| 11. RJP (Remote Jackpack)            |                                 |

## 32"/40"/48"



- HG32ED690DB
- HG40ED690DB
- HG48ED690DB

### Connectors




- |                                      |                        |
|--------------------------------------|------------------------|
| 1. AV IN                             | 13. PC IN              |
| 2. USB                               | 14. PC/DVI AUDIO IN    |
| 3. USB/CLONING                       | 15. DATA               |
| 4. HDMI IN 1                         | 16. CLOCK              |
| 5. ETHERNET (LAN)                    | 17. VARIABLE AUDIO OUT |
| 6. ANTENNA IN (SATELLITE, AIR/CABLE) | 18. VOLUME CONTROL     |
| 7. HDMI IN 3                         |                        |
| 8. HDMI IN 2                         |                        |
| 9. HEADPHONE                         |                        |
| 10. HEADPHONE-ID                     |                        |
| 11. RJP (Remote Jackpack)            |                        |
| 12. DIGITAL AUDIO OUT (OPTICAL)      |                        |

## 55"



- HG55ED690EB

### Connectors



- |                                      |                        |
|--------------------------------------|------------------------|
| 1. AV IN                             | 13. PC IN              |
| 2. USB                               | 14. PC/DVI AUDIO IN    |
| 3. USB/CLONING                       | 15. DATA               |
| 4. HDMI IN 1                         | 16. CLOCK              |
| 5. ETHERNET (LAN)                    | 17. VARIABLE AUDIO OUT |
| 6. ANTENNA IN (SATELLITE, AIR/CABLE) | 18. VOLUME CONTROL     |
| 7. HDMI IN 3                         |                        |
| 8. HDMI IN 2                         |                        |
| 9. HEADPHONE                         |                        |
| 10. HEADPHONE-ID                     |                        |
| 11. RJP (Remote Jackpack)            |                        |
| 12. DIGITAL AUDIO OUT (OPTICAL)      |                        |

# Samsung HD590 Series Hospitality Displays

## HD590



- Full-HD resolution for enhanced TV viewing
- Management solutions (REACH, SINC, H.Browser) for economic and simplified content and display management


Basic Feature				Hospitality Solution				Convenience Feature		Security		Clock Option	
Screen Size	Resolution	Design	Processor	Home Menu	Lynk™ Reach	Lynk™ SINC	H.Browser	Bluetooth Player	Embedded Wi-Fi	Software DRM	Security Mode	External Clock Compatibility	Software Clock
32", 40"	FHD	Regular	Quad Core	New Home Menu	○	○	○		○	○			○

### 32"



- HG32ED590HB

### Connectors



1. USB / CLONING
2. COMMON INTERFACE
3. HDMI IN 2 (ARC)
4. HDMI IN 1 (DVI)
5. RJP(Remote Jackpack)
6. DATA
7. ANTENNA IN 2 (SATELLITE)
8. ANTENNA IN 1 (AIR/CABLE)
9. HEADPHONE
10. HEADPHONE-ID
11. PC/DVI AUDIO IN
12. PC IN
13. ETHERNET (LAN)


# Samsung HD590 Series Hospitality Displays

40"



- HG40ED590BB

## Connectors



1. USB
2. COMMON INTERFACE
3. DATA
4. ETHERNET (LAN)
5. RJP(Remote Jackpack)
6. HEADPHONE
7. HEADPHONE-ID
8. HDMI IN 1
9. HDMI IN 2
10. ANTENNA IN  
(SATELLITE, AIR/CABLE)
11. PC/DVI AUDIO IN
12. PC IN

# Samsung HD790 Series Hospitality Displays

## Specifications

		40HD790 HG40ED790QB
<b>Display</b>	Backlight	LED
	Inch	40
	HD/FHD/UHD	FHD
	Resolution	1920 x 1080
<b>Video</b>	Picture Engine	HyperReal
	Micro Dimming	N/A
	Wide Color Enhancer (Plus)	Yes
	Auto Motion Plus	N/A
	Film Mode	Yes
<b>Audio</b>	Dolby® Digital Plus	Yes
	Virtual Surround	DTS Studio Sound
	DTS® Codec	DTS Premium sound 5.1
	3D Sound	N/A
	Sound Output (RMS)	20W(L:10W, R:10W)
	Speaker Type	2CH(Down Firing + Base Reflex)
	Woofers	N/A
<b>Feature</b>	Smart Hub	Smart
	Apps	Yes
	Web Browser	Yes
	Mobile to TV - Mirroring, DLNA®	Yes
	Samsung Smart View	Yes
	Voice Control	N/A
	Samsung 3D	N/A
	3D Converter	N/A
	Digital Clean View	Yes
	Auto Channel Search	Yes
	Auto Power Off	Yes
	BD Wise Plus	N/A
	Caption (Subtitle)	Yes
	Channel List USB-Clone	N/A
	ConnectShare™ (HDD)	Yes
	ConnectShare™ (USB 2.0)	Yes
	Sports Mode	Basic
	EPG	Yes
	Game Mode	Yes
	OSD Language	27 European Languages
	Picture-In-Picture	Yes
	BT HID Built-in	No
	USB HID Support	Yes
Teletext (TTX)	Yes	

# Samsung HD790 Series Hospitality Displays

## Specifications

	40HD790 HG40ED790QB
Samsung LYNK™ SINC Compatibility	Yes
H.Browser Compatibility	Yes
Samsung LYNK™ REACH	Yes
Samsung LYNK™ REACH Server Compatibility	Yes
Hospitality Home Menu	Yes
Bluetooth Music Player (Mobile > TV)	No
Hospitality Plug&Play (Easy Set-up)	Yes
Auto Source Mode	Yes
Power On Mode	Yes
Hotel Channel List	Yes
Channel Setup On/Off	Yes
Mixed Channel List (ATSC, DVB-T/T2/ C/S2, Analog)	Yes
My Channel	Yes
Energy Saving Mode(BLU control)	Yes
Logo Display with Time Out Setting (BMP/Movie)	Yes
Welcome Message	Yes
RJ12 / IR Pass Through	Yes
External Clock Compatibility	No
Clock Back Up Supply	Yes
External Clock Dimming Control	No
Software Clock	Yes
Multi Code Remote control	Yes
Screwed Battery Cover	Yes
Sound Bar Compatibility	Yes
Music Mode (Input: PC/AV/ Component/HDMI)	Yes
Music Mode Backlight on/off	Yes
TTX Clock Update (Analogue)	Yes
USB Cloning	Yes
Smovie® Compatibility	Yes
Soft AP	Yes
On/Off Timer (Schedule)	Yes
Wake-up Timer (Alarm)	Yes
Samsung LYNK™ DRM	Yes
Pro:Idiom®	No
bLAN	No
Security Mode	No
S/W EPG (Solution EPG)	Yes
IEC 60601-1	No
Standby LED Color	Red
Wake on LAN (WOL)	Yes

### Hospitality Feature

# Samsung HD790 Series Hospitality Displays

## Specifications

	40HD790 HG40ED790QB	
<b>Input &amp; Output</b>	HDMI (Side/Rear)	2/0
	USB (Side/Rear)	2/0
	Component In (Y/Pb/Pr) (Side/Rear)	No
	Composite In (AV) (Side/Rear)	1/0
	Ethernet (LAN) (Side/Rear)	1/0
	Headphone (Side/Rear)	1/0
	Audio Out (Mini Jack / LR) (Side/Rear)	No
	Digital Audio Out (Optical) (Side/Rear)	No
	PC In (D-sub)(Side./Rear)	1/0
	PC/DVI Audio In (Mini Jack)(Side./Rear)	1/0
	RF In (Terrestrial/Cable input) (Side/Rear)	2/0
	RS232C	Yes(Common Use for RJ12)
	CI Slot (Side/Rear)	0/1
	Scart (Side/Rear)	N/A
	Pillow Speaker Jack (Side/Rear)	No
	Variable Audio Out (Side/Rear)	0/1
	Variable Audio Out Volume Control (Side/Rear)	0/1
	Video Out (Side/Rear)	No
	RJ12 (Side/Rear)	1/0
	RJP (Remote Jackpack) (Side/Rear)	1/0
	Headphone ID (Side/Rear)	1/0
	Door-Eye Control (Side/Rear)	No
	Door-Eye Video In (Side/Rear)	No
<b>System</b>	DTV Tuner	DVB-T2/C/S2
	Analog Tuner	Yes
<b>Design</b>	Front Color	Black
	Stand Type	Quad
	Swivel (Left/Right)	20/20
<b>Dimension</b>	Set Dimension with Stand (WxHxD) (mm)	930.4 * 620.9 * 241.3
	Set Dimension without Stand - Wall Mount Side (WxHxD) (mm)	930.4 * 545.0 * 30.7
	Set Dimension without Stand - Speaker Side (WxHxD) (mm)	930.4 * 545.0 * 48.1
<b>Weight</b>	Set Weight with Stand (kg)	12.2
	Set Weight without Stand (kg)	10.9
	Package Weight (kg)	14.3
<b>Accessory</b>	Remote Controller Model	TM1240
	Battery (for Remote Control)	Yes
	Vesa Wall Mount Support	Yes
	Power Cable	Yes
	Quick Install Guide	Yes
	Data Cable	Yes
	Stand Mount Kit	No
	Security Screws	No

# Samsung HD690 Series Hospitality Displays

## Specifications

		24HD690 HG24ED690AB	28HD690 HG28ED690AB	32HD690 HG32ED690DB	40HD690 HG40ED690DB	48HD690 HG48ED690DB	55HD690 HG55ED690EB
<b>Display</b>	Backlight	LED	LED	LED	LED	LED	LED
	Inch	24	28	32	40	48	55
	HD/FHD/UHD	HD	HD	FHD	FHD	FHD	FHD
	Resolution	1,366 x 768	1,366 x 768	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080
<b>Video</b>	Picture Engine	HyperReal	HyperReal	HyperReal	HyperReal	HyperReal	HyperReal
	Micro Dimming	N/A	N/A	N/A	N/A	N/A	N/A
	Wide Color Enhancer (Plus)	Yes	Yes	Yes	Yes	Yes	Yes
	Auto Motion Plus	N/A	N/A	N/A	N/A	N/A	N/A
	Film Mode	Yes	Yes	Yes	Yes	Yes	Yes
<b>Audio</b>	Dolby Digital Plus	Yes	Yes	Yes	Yes	Yes	Yes
	Virtual Surround	DTS Studio Sound					
	DTS Codec	DTS Premium sound 5.1					
	3D Sound	N/A	N/A	N/A	N/A	N/A	N/A
	Sound Output (RMS)	10W(L:5W, R:5W)	10W(L:5W, R:5W)	20W(L:10W, R:10W)	20W(L:10W, R:10W)	20W(L:10W, R:10W)	20W(L:10W, R:10W)
	Speaker Type	2CH(Down Firing + Base Reflex)					
	Woofer	N/A	N/A	N/A	N/A	N/A	N/A
<b>Feature</b>	Smart Hub	Smart	Smart	Smart	Smart	Smart	Smart
	Apps	Yes	Yes	Yes	Yes	Yes	Yes
	Web Browser	Yes	Yes	Yes	Yes	Yes	Yes
	Mobile to TV - Mirroring, DLNA	Yes	Yes	Yes	Yes	Yes	Yes
	Samsung Smart View	Yes	Yes	Yes	Yes	Yes	Yes
	Voice Control	No	No	Yes	Yes	Yes	Yes
	Samsung 3D	N/A	N/A	N/A	N/A	N/A	N/A
	3D Converter	N/A	N/A	N/A	N/A	N/A	N/A
	Digital Clean View	Yes	Yes	Yes	Yes	Yes	Yes
	Auto Channel Search	Yes	Yes	Yes	Yes	Yes	Yes
	Auto Power Off	Yes	Yes	Yes	Yes	Yes	Yes
	BD Wise Plus	N/A	N/A	N/A	N/A	N/A	N/A
	Caption (Subtitle)	Yes	Yes	Yes	Yes	Yes	Yes
	Channel List USB-Clone	N/A	N/A	N/A	N/A	N/A	N/A
	ConnectShare™ (HDD)	Yes	Yes	Yes	Yes	Yes	Yes
	ConnectShare™ (USB 2.0)	Yes	Yes	Yes	Yes	Yes	Yes
	Sports Mode	Basic	Basic	Basic	Basic	Basic	Basic
	EPG	Yes	Yes	Yes	Yes	Yes	Yes
	Game Mode	Yes	Yes	Yes	Yes	Yes	Yes
	OSD Language	27 European Languages					
	Picture-In-Picture	Yes	Yes	Yes	Yes	Yes	Yes
	BT HID Built-in	No	No	Yes	Yes	Yes	Yes
USB HID Support	Yes	Yes	Yes	Yes	Yes	Yes	
Teletext (TTX)	Yes	Yes	Yes	Yes	Yes	Yes	

# Samsung HD690 Series Hospitality Displays

## Specifications

	24HD690	28HD690	32HD690	40HD690	48HD690	55HD690
	HG24ED690AB	HG28ED690AB	HG32ED690DB	HG40ED690DB	HG48ED690DB	HG55ED690EB
Samsung LYNK™ SINC Compatibility	Yes	Yes	Yes	Yes	Yes	Yes
H.Browser Compatibility	Yes	Yes	Yes	Yes	Yes	Yes
Samsung LYNK™ REACH	Yes	Yes	Yes	Yes	Yes	Yes
Samsung LYNK™ REACH Server Compatibility	Yes	Yes	Yes	Yes	Yes	Yes
Hospitality Home Menu	Yes	Yes	Yes	Yes	Yes	Yes
Bluetooth Music Player (Mobile > TV)	No	No	Yes	Yes	Yes	Yes
Hospitality Plug&Play (Easy Set-up)	Yes	Yes	Yes	Yes	Yes	Yes
Auto Source Mode	Yes	Yes	Yes	Yes	Yes	Yes
Power On Mode	Yes	Yes	Yes	Yes	Yes	Yes
Hotel Channel List	Yes	Yes	Yes	Yes	Yes	Yes
Channel Setup On/Off	Yes	Yes	Yes	Yes	Yes	Yes
Mixed Channel List (ATSC, DVB-T/T2/ C/S2, Analog)	Yes	Yes	Yes	Yes	Yes	Yes
My Channel	Yes	Yes	Yes	Yes	Yes	Yes
Energy Saving Mode(BLU control)	Yes	Yes	Yes	Yes	Yes	Yes
Logo Display with Time Out Setting (BMP/Movie)	Yes	Yes	Yes	Yes	Yes	Yes
Welcome Message	Yes	Yes	Yes	Yes	Yes	Yes
RJ12 / IR Pass Through	Yes	Yes	Yes	Yes	Yes	Yes
External Clock Compatibility	No	Yes	Yes	Yes	Yes	Yes
Clock Back Up Supply	Yes	Yes	Yes	Yes	Yes	Yes
External Clock Dimming Control	No	Yes	Yes	Yes	Yes	Yes
Software Clock	Yes	Yes	Yes	Yes	Yes	Yes
Multi Code Remote control	Yes	Yes	Yes	Yes	Yes	Yes
Screwed Battery Cover	Yes	Yes	Yes	Yes	Yes	Yes
Sound Bar Compatibility	Yes	Yes	Yes	Yes	Yes	Yes
Music Mode (Input: PC/AV/ Component/HDMI)	Yes	Yes	Yes	Yes	Yes	Yes
Music Mode Backlight on/off	Yes	Yes	Yes	Yes	Yes	Yes
TTX Clock Update (Analogue)	Yes	Yes	Yes	Yes	Yes	Yes
USB Cloning	Yes	Yes	Yes	Yes	Yes	Yes
Smovie Compatibility	Yes	Yes	Yes	Yes	Yes	Yes
Soft AP	Yes	Yes	Yes	Yes	Yes	Yes
On/Off Timer (Schedule)	Yes	Yes	Yes	Yes	Yes	Yes
Wake-up Timer (Alarm)	Yes	Yes	Yes	Yes	Yes	Yes
Samsung LYNK™ DRM	Yes	Yes	Yes	Yes	Yes	Yes
Pro:Idiom	No	No	No	No	No	No
bLAN	No	No	No	No	No	No
Security Mode	No	No	No	No	No	No
S/W EPG (Solution EPG)	Yes	Yes	Yes	Yes	Yes	Yes
IEC 60601-1	Yes	No	No	No	No	No
Standby LED Color	Green	Red	Red	Red	Red	Red
Wake on LAN (WOL)	Yes	Yes	Yes	Yes	Yes	Yes

### Hospitality Feature

# Samsung HD690 Series Hospitality Displays

## Specifications

	24HD690 HG24ED690AB	28HD690 HG28ED690AB	32HD690 HG32ED690DB	40HD690 HG40ED690DB	48HD690 HG48ED690DB	55HD690 HG55ED690EB
<b>Input &amp; Output</b>						
HDMI (Side/Rear)	0/2	1/2	1/2	1/2	1/2	1/2
USB (Side/Rear)	1/0	2/0	2/0	2/0	2/0	2/0
Component In (Y/Pb/Pr) (Side/Rear)	No	No	No	No	No	No
Composite In (AV) (Side/Rear)	No	1/0	1/0	1/0	1/0	1/0
Ethernet (LAN) (Side/Rear)	1/0	1/0	1/0	1/0	1/0	1/0
Headphone (Side/Rear)	0/1	0/1	0/1	0/1	0/1	0/1
Audio Out (Mini Jack / LR) (Side/Rear)	No	No	No	No	No	No
Digital Audio Out (Optical) (Side/Rear)	0/1	0/1	0/1	0/1	0/1	0/1
PC In (D-sub)(Side./Rear)	0/1	0/1	0/1	0/1	0/1	0/1
PC/DVI Audio In (Mini Jack)(Side./Rear)	0/1	0/1	0/1	0/1	0/1	0/1
RF In (Terrestrial/Cable input) (Side/Rear)	0/2	2/0	2/0	2/0	2/0	2/0
RS232C	Yes(Common Use for RJ12)					
CI Slot (Side/Rear)	1/0	0/1	0/1	0/1	0/1	0/1
Scart (Side/Rear)	N/A	N/A	N/A	N/A	N/A	N/A
Pillow Speaker Jack (Side/Rear)	No	No	No	No	No	No
Variable Audio Out (Side/Rear)	No	0/1	0/1	0/1	0/1	0/1
Variable Audio Out Volume Control (Side/Rear)	No	0/1	0/1	0/1	0/1	0/1
Video Out (Side/Rear)	No	No	No	No	No	No
RJ12 (Side/Rear)	0/1	0/1	0/1	0/1	0/1	0/1
RJP (Remote Jackpack) (Side/Rear)	0/1	0/1	0/1	0/1	0/1	0/1
Headphone ID (Side/Rear)	0/1	0/1	0/1	0/1	0/1	0/1
Door-Eye Control (Side/Rear)	No	No	No	No	No	No
Door-Eye Video In (Side/Rear)	No	No	No	No	No	No
<b>System</b>						
DTV Tuner	DVB-T2/C/S2	DVB-T2/C/S2	DVB-T2/C/S2	DVB-T2/C/S2	DVB-T2/C/S2	DVB-T2/C/S2
Analog Tuner	Yes	Yes	Yes	Yes	Yes	Yes
<b>Design</b>						
Front Color	Black	Black	Black	Black	Black	Black
Stand Type	Square	Square	Square	Square	Square	Square
Swivel (Left/Right)	No	No	90/90	90/90	90/90	90/90
<b>Dimension</b>						
Set Dimension with Stand (WxHxD) (mm)	561.8 * 384.2 * 163.8	643.4 * 435.0 * 163.4	721.4 * 465.6 * 192.6	906.6 * 577.6 * 226.5	1075.1 * 673.5 * 226.5	1230.6 * 762.8 * 226.5
Set Dimension without Stand - Wall Mount Side (WxHxD) (mm)	561.8 * 349.1 * 47.9	643.4 * 396.5 * 62.9	721.4 * 428.5 * 49.1	906.6 * 532.9 * 49.3	1075.1 * 627.6 * 49.7	1230.6 * 718.4 * 64.0
Set Dimension without Stand - Speaker Side (WxHxD) (mm)	561.8 * 349.1 * 65.2	643.4 * 396.5 * 62.9	721.4 * 428.5 * 64.9	906.6 * 532.9 * 65.1	1075.1 * 627.6 * 65.5	1230.6 * 718.4 * 64.0
<b>Weight</b>						
Set Weight with Stand (kg)	4.1	4.1	6.4	10.7	14	14.6
Set Weight without Stand (kg)	3.9	3.7	5	7.8	11.1	13.6
Package Weight (kg)	5.1	5.2	7.5	12.3	17.5	18.8
<b>Accessory</b>						
Remote Controller Model	TM1240	TM1240	TM1240	TM1240	TM1240	TM1240
Battery (for Remote Control)	Yes	Yes	Yes	Yes	Yes	Yes
Vesa Wall Mount Support	Yes	Yes	Yes	Yes	Yes	Yes
Power Cable	Yes	Yes	Yes	Yes	Yes	Yes
Quick Install Guide	Yes	Yes	Yes	Yes	Yes	Yes
Data Cable	Yes	Yes	Yes	Yes	Yes	Yes
Stand Mount Kit	No	Yes	Yes	Yes	Yes	Yes
Security Screws	No	No	No	No	No	No
Security Screws	No	No	No	No	No	No

# Samsung HD590 Series Hospitality Displays

## Specifications

		32HD590 HG32ED590HB	40HD590 HG40ED590BB
<b>Display</b>	Backlight	LED	LED
	Inch	32	40
	HD/FHD/UHD	FHD	FHD
	Resolution	1920 x 1080	1920 x 1080
<b>Video</b>	Picture Engine	HyperReal	HyperReal
	Micro Dimming	N/A	N/A
	Wide Color Enhancer (Plus)	Yes	Yes
	Auto Motion Plus	N/A	N/A
	Film Mode	Yes	Yes
<b>Audio</b>	Dolby Digital Plus	Yes	Yes
	Virtual Surround	DTS Studio Sound	DTS Studio Sound
	DTS Codec	DTS Premium sound 5.1	DTS Premium sound 5.1
	3D Sound	N/A	N/A
	Sound Output (RMS)	20W(L:10W, R:10W)	20W(L:10W, R:10W)
	Speaker Type	2CH(Down Firing + Base Reflex)	2CH(Down Firing + Base Reflex)
<b>Feature</b>	Woofer	N/A	N/A
	Smart Hub	Yes	Yes
	Apps	Yes	Yes
	Web Browser	Yes	Yes
	Mobile to TV - Mirroring, DLNA	Yes	Yes
	Samsung Smart View	Yes	Yes
	Voice Control	N/A	N/A
	Samsung 3D	N/A	N/A
	3D Converter	N/A	N/A
	Digital Clean View	Yes	Yes
	Auto Channel Search	Yes	Yes
	Auto Power Off	Yes	Yes
	BD Wise Plus	N/A	N/A
	Caption (Subtitle)	Yes	Yes
	Channel List USB-Clone	N/A	N/A
	ConnectShare™ (HDD)	Yes	Yes
	ConnectShare™ (USB 2.0)	Yes	Yes
	Sports Mode	Basic	Basic
	EPG	Yes	Yes
	Game Mode	Yes	Yes
	OSD Language	27 European Languages	27 European Languages
	Picture-In-Picture	Yes	Yes
	BT HID Built-in	No	No
USB HID Support	Yes	Yes	
Teletext (TTX)	Yes	Yes	

# Samsung HD590 Series Hospitality Displays

## Specifications

	32HD590 HG32ED590HB	40HD590 HG40ED590BB
Samsung LYNK™ SINC Compatibility	Yes	Yes
H.Browser Compatibility	Yes	Yes
Samsung LYNK™ REACH	Yes	Yes
Samsung LYNK™ REACH Server Compatibility	Yes	Yes
Hospitality Home Menu	Yes	Yes
Bluetooth Music Player (Mobile > TV)	No	No
Hospitality Plug&Play (Easy Set-up)	Yes	Yes
Auto Source Mode	Yes	Yes
Power On Mode	Yes	Yes
Hotel Channel List	Yes	Yes
Channel Setup On/Off	Yes	Yes
Mixed Channel List (ATSC, DVB-T/T2/C/S2, Analog)	Yes	Yes
My Channel	Yes	Yes
Energy Saving Mode(BLU control)	Yes	Yes
Logo Display with Time Out Setting (BMP/Movie)	Yes	Yes
Welcome Message	Yes	Yes
RJ12 / IR Pass Through	Yes	Yes
External Clock Compatibility	No	No
Clock Back Up Supply	Yes	Yes
<b>Hospitality Feature</b> External Clock Dimming Control	No	No
Software Clock	Yes	Yes
Multi Code Remote control	Yes	Yes
Screwed Battery Cover	Yes	Yes
Sound Bar Compatibility	Yes	Yes
Music Mode (Input: PC/AV/Component/HDMI)	Yes	Yes
Music Mode Backlight on/off	Yes	Yes
TTX Clock Update (Analogue)	Yes	Yes
USB Cloning	Yes	Yes
Smovie Compatibility	Yes	Yes
Soft AP	Yes	Yes
On/Off Timer (Schedule)	Yes	Yes
Wake-up Timer (Alarm)	Yes	Yes
Samsung LYNK™ DRM	Yes	Yes
Pro:Idiom	No	No
bLAN	No	No
Security Mode	No	No
S/W EPG (Solution EPG)	Yes	Yes
IEC 60601-1	No	No
Standby LED Color	Red	Red
Wake on LAN (WOL)	Yes	Yes

# Samsung HD590 Series Hospitality Displays

## Specifications

	32HD590 HG32ED590HB	40HD590 HG40ED590BB	
<b>Input &amp; Output</b>	HDMI (Side/Rear)	0/2	0/2
	USB (Side/Rear)	0/1	1/0
	Component In (Y/Pb/Pr) (Side/Rear)	No	No
	Composite In (AV) (Side/Rear)	No	No
	Ethernet (LAN) (Side/Rear)	0/1	0/1
	Headphone (Side/Rear)	0/1	0/1
	Audio Out (Mini Jack / LR) (Side/Rear)	No	No
	Digital Audio Out (Optical) (Side/Rear)	No	No
	PC In (D-sub)(Side./Rear)	0/1	0/1
	PC/DVI Audio In (Mini Jack)(Side./Rear)	0/1	0/1
	RF In (Terrestrial/Cable input) (Side/Rear)	0/2	0/2
	RS232C	Yes(Common Use for RJ12)	Yes(Common Use for RJ12)
	CI Slot (Side/Rear)	1/0	1/0
	Scart (Side/Rear)	No	No
	Pillow Speaker Jack (Side/Rear)	No	No
	Variable Audio Out (Side/Rear)	No	No
	Variable Audio Out Volume Control (Side/Rear)	No	No
	Video Out (Side/Rear)	No	No
	RJ12 (Side/Rear)	0/1	0/1
	RJP (Remote Jackpack) (Side/Rear)	0/1	0/1
	Headphone ID (Side/Rear)	0/1	0/1
	Door-Eye Control (Side/Rear)	No	No
	Door-Eye Video In (Side/Rear)	No	No
<b>System</b>	DTV Tuner	DVB-T2/C/S2	DVB-T2/C/S2
	Analog Tuner	Yes	Yes
<b>Design</b>	Front Color	Black	Black
	Stand Type	Square	Square
	Swivel (Left/Right)	N/A	N/A
<b>Dimension</b>	Set Dimension with Stand (WxHxD) (mm)	738.3 * 498.2 * 191.7	905.2 * 562.3 * 196.4
	Set Dimension without Stand - Wall Mount Side (WxHxD) (mm)	738.3 * 444.9 * 93.2	905.2 * 525.4 * 91.1
	Set Dimension without Stand - Speaker Side (WxHxD) (mm)	738.3 * 444.9 * 93.2	905.2 * 525.4 * 91.1
<b>Weight</b>	Set Weight with Stand (kg)	5.9	7.3
	Set Weight without Stand (kg)	5.4	6.4
	Package Weight (kg)	7.4	9.6
<b>Accessory</b>	Remote Controller Model	TM1240	TM1240
	Battery (for Remote Control)	Yes	Yes
	Vesa Wall Mount Support	Yes	Yes
	Power Cable	Yes	Yes
	Quick Install Guide	Yes	Yes
	Data Cable	Yes	Yes
	Stand Mount Kit	No	No
	Security Screws	No	No

## Legal and additional information

### About Samsung Electronics Co., Ltd.

Samsung Electronics Co., Ltd. inspires the world and shapes the future with transformative ideas and technologies, redefining the worlds of TVs, smartphones, wearable devices, tablets, cameras, digital appliances, printers, medical equipment, network systems, and semiconductor and LED solutions. We are also leading in the Internet of Things space through, among others, our Smart Home and Digital Health initiatives. We employ 307,000 people across 84 countries with annual sales of US \$196 billion. To discover more, please visit our official website at [www.samsung.com](http://www.samsung.com) and our official blog at [global.samsungtomorrow.com](http://global.samsungtomorrow.com)

### For more information

For more information about Samsung SMART Hospitality Displays, visit [www.samsung.com/business](http://www.samsung.com/business) or [www.samsung.com/displaysolution](http://www.samsung.com/displaysolution)



Scan this code with your Smart Phone to download our Mobile Brochure App.

Copyright © 2015 Samsung Electronics Co., Ltd. All rights reserved. Samsung, LYNK SINC, LYNK REACH, LYNK DRM and ConnectShare are either trademarks or registered trademarks of Samsung Electronics Co., Ltd. Specifications and designs are subject to change without notice. Nonmetric weights and measurements are approximate. All data were deemed correct at time of creation. Samsung is not liable for errors or omissions. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective owners and are hereby recognized and acknowledged.

DTS and DTS 2.0 + Digital Out are registered trademarks and the DTS logos and Symbol are trademarks of DTS, Inc.

DLNA®, the DLNA Logo and DLNA CERTIFIED® are trademarks, service marks, or certification marks of the Digital Living Network Alliance.

Pro:Idiom is a registered trademark of Zenith Electronics LLC.

Dolby and Dolby Digital Plus and the double-D symbol are trademarks or registered trademarks of Dolby Laboratories.

HDMI, the HDMI logo, and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing, LLC in the United States and/or other countries.

Smovie is a registered trademark of Quadriga Worldwide Ltd.

Samsung Electronics Co., Ltd.  
129 Samsung-ro,  
Yeongtong-gu,  
Suwon-si, Gyeonggi-do 443-742,  
Korea

[www.samsung.com](http://www.samsung.com)

2015-05