



msi

MOTHERBOARD Z370 SLI PLUS STRONGER THAN STEEL



SPECIFICATIONS


Model Name	Z370 SLI PLUS
CPU support	Supports 8th Gen Intel® Core™ i3/i5/i7 processors, and Intel® Pentium® and Celeron® processors
CPU socket	LGA 1151
Chipset	Intel® Z370 Chipset
Graphics Interface	3 x PCI-E 3.0 x16 slots 2-way SLI / 3-way CrossFire
Display Interface	DVI-D, HDMI
Memory support	4 DIMMs, Dual Channel DDR4-4000(OC)
Expansion slots	3 x PCI-E x1 slots
SATA / M.2 / U.2	6 x SATA 6Gb/s ports, 2 x Turbo M.2 slots
USB 3.1 Gen2	2 x USB 3.1 Gen2 (Type A+C)
USB 3.1 Gen1	8 x USB 3.1 Gen1
USB 2.0	6 x USB 2.0
LAN	Intel® I219-V Gigabit LAN
Audio	8-Channel (7.1) HD Audio with Audio Boost 4
Form Factor	ATX

FEATURES

1. Mystic Light and Mystic Light Sync: Personalize your PC with 16.8 million colors / 17 effects controlled in one click with the Mystic Light APP or a mobile device.
2. Lightning USB 3.1 Gen2: Powered by the ASMedia ASM3142 USB 3.1 Gen2 controller, Lightning USB offers the fastest USB speeds at lowest power usage.
3. AUDIO BOOST 4: Reward your ears with studio grade sound quality for the most immersive audio experience
4. Professional IO cover & heatsink: Stunning looks, protecting the I/O ports
5. PCI-E Steel Armor: Protecting VGA cards against bending and EMI
6. TwinTurbo M.2: NVMe support, up to 32 Gb/s using PCI-Express Gen3 x4
7. DDR4 Boost: Optimized traces and isolated memory Circuitry
8. Military Class 5: High quality components for best protection and efficiency

REAR CONNECTORS

- | | |
|------------------------|----------------------------------|
| 1. PS/2 Combo Port | 8. LIGHTNING USB 3.1 Gen2 Type-C |
| 2. USB 3.1 Gen 2 | 9. HDMI |
| 3. USB 3.1 Gen 1 | 10. USB 3.1 Gen 1 |
| 4. LAN Port | 11. Optical S/PDIF-Out |
| 5. HD Audio Connectors | |
| 6. USB 2.0 Port | |
| 7. DVI-D Port | |



For more information check our [Product page](#)
This datasheet was generated on Sep 6 2017

Product specifications and colors are subject to change without notice and may vary from those shown. Errors and omissions excepted.